

WEST Search History

DATE: Thursday, September 15, 2005

<u>Hide?</u>	<u>Set Name</u>	<u>Query</u>	<u>Hit Count</u>
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>			
<input type="checkbox"/>	L135	L134 and (populat\$3 near5 table\$1)	6
<input type="checkbox"/>	L134	(database\$1 and relational and query\$).ti.	239
<input type="checkbox"/>	L133	(relatinal and query).ti.	0
<input type="checkbox"/>	L132	(relatinal and query\$).ti.	0
<input type="checkbox"/>	L131	(database\$1 and relatinal and query\$).ti.	0
<input type="checkbox"/>	L130	L129 and populat\$3	0
<input type="checkbox"/>	L129	L127 and attribute\$1	20
<input type="checkbox"/>	L128	L127 and timestamp\$3	0
<input type="checkbox"/>	L127	L126 and row\$1 and column\$1	20
<input type="checkbox"/>	L126	L125 and analysis	29
<input type="checkbox"/>	L125	L124 and visualiz\$4	29
<input type="checkbox"/>	L124	L123 and (query\$3 same updat\$3)	64
<input type="checkbox"/>	L123	L122 and (data near5 captur\$3)	225
<input type="checkbox"/>	L122	L120 and (data near5 entr\$3)	1040
<input type="checkbox"/>	L121	L120 and 9data near5 entr\$3	0
<input type="checkbox"/>	L120	data near5 connectivity	5087
<input type="checkbox"/>	L119	L117 and (analysis and graph\$1)	31
<input type="checkbox"/>	L118	L117 and (analysis same graph\$1)	0
<input type="checkbox"/>	L117	L116 and (updat\$1 near5 table\$1)	47
<input type="checkbox"/>	L116	L115 and table\$1 and row\$1 and column\$1	165
<input type="checkbox"/>	L115	(relational near5 database\$1) same (generat\$3 near5 report\$1)	469
<input type="checkbox"/>	L114	5974416.pn.	2
<input type="checkbox"/>	L113	L112 and (report\$1 same form\$1)	3
<input type="checkbox"/>	L112	L111 and (user near5 interfac\$3)	17
<input type="checkbox"/>	L111	L110 and (data near5 analysis)	34
<input type="checkbox"/>	L110	L109 and (execut\$3 near5 query)	206
<input type="checkbox"/>	L109	L108 and (updat\$3 near5 row\$1)	360
<input type="checkbox"/>	L108	l95 and applications	2843
<input type="checkbox"/>	L107	L105 and (generat\$3 near5 report\$1)	6
<input type="checkbox"/>	L106	L105 and (analys\$3 near5 data\$)	7
<input type="checkbox"/>	L105	L104 and (updat\$3 near5 table\$1)	68

<input type="checkbox"/>	L104	L103 and (query\$3 same database\$1)	309
<input type="checkbox"/>	L103	(database and table\$1).ti.	1664
<input type="checkbox"/>	L102	L101 and dataset\$1	6
<input type="checkbox"/>	L101	L99 and timestamp\$3	39
<input type="checkbox"/>	L100	L99 and (dataset\$1 same timestamp\$3)	0
<input type="checkbox"/>	L99	L97 and (execut\$3 near5 query)	179
<input type="checkbox"/>	L98	L97 and (execut\$3 near5 queri\$1)	0
<input type="checkbox"/>	L97	L96 and (updat\$3 near5 row\$1)	309
<input type="checkbox"/>	L96	L95 and (updat\$3 near5 table\$1)	1142
<input type="checkbox"/>	L95	(access near5 database) and (query\$3 near5 table\$1)	2952
<input type="checkbox"/>	L94	L93 and access	14
<input type="checkbox"/>	L93	L92 and (updat\$3 same table\$1)	14
<input type="checkbox"/>	L92	L91 and (generat\$3 same graph\$1)	18
<input type="checkbox"/>	L91	L90 and (query\$3 same row\$1)	27
<input type="checkbox"/>	L90	L89 and (retriev\$3 near5 result\$1)	61
<input type="checkbox"/>	L89	L88 and (data near5 analysis)	309
<input type="checkbox"/>	L88	L87 and (sql same table\$1)	896
<input type="checkbox"/>	L87	L86 and (relational near5 database\$1)	2447
<input type="checkbox"/>	L86	L85 and (data near5 entr\$3)	7084
<input type="checkbox"/>	L85	database near5 application\$1	33226
<input type="checkbox"/>	L84	database near5 applicatiion\$1	0
<input type="checkbox"/>	L83	L82 and captur\$3	3
<input type="checkbox"/>	L82	L81 and updat\$3	28
<input type="checkbox"/>	L81	l79 and (row\$1 same populat\$3)	32
<input type="checkbox"/>	L80	L79 and (dataset\$1 same captur\$3)	1
<input type="checkbox"/>	L79	L78 and (database near5 table\$1)	292
<input type="checkbox"/>	L78	L76 and (table\$1 same query\$)	396
<input type="checkbox"/>	L77	L76 and (table\$1 same querey\$)	0
<input type="checkbox"/>	L76	statistical near5 databases	3684
<input type="checkbox"/>	L75	L74 and (trend\$1 same graph\$1)	5
<input type="checkbox"/>	L74	L73 and (updat\$3 near5 table\$1)	304
<input type="checkbox"/>	L73	L71 and (row\$1 near5 column\$1)	1694
<input type="checkbox"/>	L72	L71 and (database near5 aplication\$1)	0
<input type="checkbox"/>	L71	L70 and (data near5 analysis)	8802
<input type="checkbox"/>	L70	(database\$1) and table\$1 and query\$3	36970
<input type="checkbox"/>	L69	L68 and (retriev\$3 near5 dataset\$1)	2
<input type="checkbox"/>	L68	L67 and (data near5 application\$1)	34

<input type="checkbox"/>	L67	L66 and (data near5 analysis)	45
<input type="checkbox"/>	L66	l39 and (populat\$3 same updat\$3)	242
<input type="checkbox"/>	L65	L64 and (trend near5 analysis)	6
<input type="checkbox"/>	L64	L63 and (updat\$3 near5 table\$1)	156
<input type="checkbox"/>	L63	L62 and (table\$1 near5 format\$3)	307
<input type="checkbox"/>	L62	(data\$ near5 captur\$3) and (data near5 query\$3)	2125
<input type="checkbox"/>	L61	(database and anlaysis).ti,ab.	0
<input type="checkbox"/>	L60	'database anlaysis'.ti,ab.	0
<input type="checkbox"/>	L59	L57 and (updat\$3 near5 table\$1)	4
<input type="checkbox"/>	L58	L57 and (pie near5 graph\$1)	0
<input type="checkbox"/>	L57	L56 and graph\$1	22
<input type="checkbox"/>	L56	L55 and (dataset\$1 near5 analysis)	32
<input type="checkbox"/>	L55	L54 and (database\$1 near5 query\$3)	7927
<input type="checkbox"/>	L54	database\$1 near5 table\$1	35967
<input type="checkbox"/>	L53	L52 and ((pie or bar) near5 (graph\$1))	3
<input type="checkbox"/>	L52	L51 and (row\$1 same table\$1)	127
<input type="checkbox"/>	L51	L50 and (query near5 analysis)	192
<input type="checkbox"/>	L50	l39 and (database near5 application\$1)	4520
<input type="checkbox"/>	L49	l39 and (databse near5 application\$1)	0
<input type="checkbox"/>	L48	L47 and (dataset\$1 same graph\$1)	3
<input type="checkbox"/>	L47	l39 and (query\$3 near5 table\$1)	1373
<input type="checkbox"/>	L46	l39 and ((data near5 analysis) same (data near5 graph\$1))	19
<input type="checkbox"/>	L45	L44 and table\$1	6
<input type="checkbox"/>	L44	L43 and timestamp\$3	6
<input type="checkbox"/>	L43	L42 and (populat\$3 or updat\$3)	20
<input type="checkbox"/>	L42	L41 and (data near5 captur\$3)	24
<input type="checkbox"/>	L41	L40 and (analysis near5 tool\$1)	193
<input type="checkbox"/>	L40	L39 and (query\$ or search\$)	14099
<input type="checkbox"/>	L39	(database\$1 or data\$base\$1).ti.	2542423
<input type="checkbox"/>	L38	l36 and (dataset\$1 same query\$)	0
<input type="checkbox"/>	L37	L36 and ((query\$1 or search\$) same (sql near5 database\$1))	5
<input type="checkbox"/>	L36	(trend\$1 near5 analysis).clm.	229
<input type="checkbox"/>	L35	L34 and (display\$ near5 graphs)	5
<input type="checkbox"/>	L34	L33 and (data near5 table\$1)	29
<input type="checkbox"/>	L33	L32 and updat\$	37
<input type="checkbox"/>	L32	L31 and (trend analysis)	41
<input type="checkbox"/>	L31	L26 and (query\$ near5 table\$1)	57

<input type="checkbox"/>	L30	L26 and (query\$ near5 database\$)	0
<input type="checkbox"/>	L29	L28 and (data near5 graphs)	5
<input type="checkbox"/>	L28	L27 and (table\$1 near5 populat\$)	47
<input type="checkbox"/>	L27	L26 and (database\$1 near5 table\$1)	332
<input type="checkbox"/>	L26	(access near5 database\$1) and (trend near5 analysis)	849
<input type="checkbox"/>	L25	L23 and (data\$ near5 updat\$)	3
<input type="checkbox"/>	L24	L23 and (data near5 captur\$)	0
<input type="checkbox"/>	L23	'trend analysis'.ti.	64
<input type="checkbox"/>	L22	L21 and query\$	7
<input type="checkbox"/>	L21	(data adj5 captur\$) same (trend near5 analysis)	12
<input type="checkbox"/>	L20	L18 and access	7
<input type="checkbox"/>	L19	L18 and (dataset\$1 near5 updat\$)	0
<input type="checkbox"/>	L18	(data analysis) same (trend\$1 near5 graphs)	16
<input type="checkbox"/>	L17	L15 and (populat\$ same captur\$)	1
<input type="checkbox"/>	L16	L15 and (populat\$ same report\$1)	0
<input type="checkbox"/>	L15	(updat\$ near5 database\$) same (trend near5 analysis)	33
<input type="checkbox"/>	L14	L13 and (query\$ near5 trend\$1)	2
<input type="checkbox"/>	L13	L12 and (query\$ near5 report\$1)	17
<input type="checkbox"/>	L12	L10 and (report\$1 same analysis)	129
<input type="checkbox"/>	L11	L10 and (generat\$ near5 rank\$)	2
<input type="checkbox"/>	L10	L9 and (data adj5 captur\$)	266
<input type="checkbox"/>	L9	(trend adj5 analysis)	2709
<input type="checkbox"/>	L8	L1 and (trend adj5 analysis)	0
<input type="checkbox"/>	L7	L1 and (database\$ near5 market)	0
<input type="checkbox"/>	L6	L1 and (bar near5 graph)	0
<input type="checkbox"/>	L5	L1 and (bar near5 graph)	0
<input type="checkbox"/>	L4	L1 and (pie near5 graph)	0
<input type="checkbox"/>	L3	L1 and (data near5 query\$)	2
<input type="checkbox"/>	L2	L1 and (data near5 graphs)	0
<input type="checkbox"/>	L1	(data and captur\$ and analys\$).ti.	97

END OF SEARCH HISTORY

WEST Search History

DATE: Thursday, September 15, 2005

Hide?	Set Name	Query	Hit Count
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>			
<input type="checkbox"/>	L29	L28 and (trend near5 analysis)	12
<input type="checkbox"/>	L28	L27 and query	413
<input type="checkbox"/>	L27	access database.ab.	2394
<input type="checkbox"/>	L26	L25 and (table\$1 near5 updat\$3)	9
<input type="checkbox"/>	L25	L23 and populat\$3	71
<input type="checkbox"/>	L24	L23 and l14	0
<input type="checkbox"/>	L23	(query\$3 and database\$1).ti.	1700
<input type="checkbox"/>	L22	L20 and l14	6
<input type="checkbox"/>	L21	L20 and l15	0
<input type="checkbox"/>	L20	707/2-5.ccls.	8570
<input type="checkbox"/>	L19	L18 and trend	6
<input type="checkbox"/>	L18	L17 and analysis	9
<input type="checkbox"/>	L17	L16 and updat\$3	10
<input type="checkbox"/>	L16	L15 and (database near5 table\$1)	11
<input type="checkbox"/>	L15	L14 and (access near5 software)	50
<input type="checkbox"/>	L14	sas near5 software	1135
<input type="checkbox"/>	L13	l6 and (dataset\$1 same analysis)	1
<input type="checkbox"/>	L12	(query near5 graph\$1) and l7	4
<input type="checkbox"/>	L11	L10 and populat\$3	6
<input type="checkbox"/>	L10	L9 and attribut\$1	17
<input type="checkbox"/>	L9	L8 and query\$3	46
<input type="checkbox"/>	L8	L7 and (row\$1 and column\$1)	49
<input type="checkbox"/>	L7	L6 and (user near5 interfac\$3)	112
<input type="checkbox"/>	L6	(database\$1 and table\$1).ti.	9067
<input type="checkbox"/>	L5	5894311 .uref.	24
<input type="checkbox"/>	L4	L3 and (automatic near5 query)	4
<input type="checkbox"/>	L3	L2 and (captur\$3 near5 data)	957
<input type="checkbox"/>	L2	L1 and (select\$3 near5 column\$1)	29058
<input type="checkbox"/>	L1	(select\$3 near5 row\$1)	57625

END OF SEARCH HISTORY

WEST Search History

DATE: Thursday, September 15, 2005

<u>Hide?</u>	<u>Set Name</u>	<u>Query</u>	<u>Hit Count</u>
	<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>		
<input type="checkbox"/>	L95	L94 and gui	23
<input type="checkbox"/>	L94	L93 and (table\$1 same record\$1)	56
<input type="checkbox"/>	L93	L92 and format	89
<input type="checkbox"/>	L92	L91 and (receiv\$3 near5 query)	108
<input type="checkbox"/>	L91	L90 and (query near5 analysis)	200
<input type="checkbox"/>	L90	L89 and ((query) same (database near5 management))	1682
<input type="checkbox"/>	L89	(creat\$3 near5 database\$1) and (sql or query\$3)	12018
<input type="checkbox"/>	L88	L87 and (execut\$3 near5 query)	15
<input type="checkbox"/>	L87	L85 and (record\$1 same timestamp\$3)	17
<input type="checkbox"/>	L86	L85 and (updat\$3 nar5 row\$1)	0
<input type="checkbox"/>	L85	L84 and (updat\$3 near5 database)	244
<input type="checkbox"/>	L84	dbms near5 query\$	647
<input type="checkbox"/>	L83	(relational and database\$1 and query\$3 and analy\$3).ti.	5
<input type="checkbox"/>	L82	(relational and database\$1 and query\$3 and table\$1).ti.	31
<input type="checkbox"/>	L81	L80 and retriev\$3	27
<input type="checkbox"/>	L80	L79 and analysis	31
<input type="checkbox"/>	L79	L78 and (data near5 analysis)	31
<input type="checkbox"/>	L78	L77 and (execut\$3 near5 query)	146
<input type="checkbox"/>	L77	L76 and (table\$1 and row\$1)	303
<input type="checkbox"/>	L76	l62 and sql	543
<input type="checkbox"/>	L75	l71 and database	14
<input type="checkbox"/>	L74	l71 and (execut\$3 near5 query)	0
<input type="checkbox"/>	L73	l71 and sql	0
<input type="checkbox"/>	L72	L71 and (query\$3 same database\$1)	3
<input type="checkbox"/>	L71	(automatic\$ and captur\$ and data\$).ti.	93
<input type="checkbox"/>	L70	L69 and (trend near5 analysis)	5
<input type="checkbox"/>	L69	L68 and row\$1	32
<input type="checkbox"/>	L68	L67 and updat\$3	34
<input type="checkbox"/>	L67	L66 and analyz\$3	34
<input type="checkbox"/>	L66	L65 and populat\$3	91
<input type="checkbox"/>	L65	L64 and updat\$3	288

<input type="checkbox"/>	L64	L63 and table\$1	538
<input type="checkbox"/>	L63	L62 and query\$3	742
<input type="checkbox"/>	L62	'relational database'.ti.	1639
<input type="checkbox"/>	L61	(relational and query\$ and table\$1).ti.	34
<input type="checkbox"/>	L60	(table\$1 and dbms).ti.	9
<input type="checkbox"/>	L59	(table\$1 and dbms and updat\$3).ti.	1
<input type="checkbox"/>	L58	L57 and gui	11
<input type="checkbox"/>	L57	L56 and (table\$1 near5 attribut\$1)	41
<input type="checkbox"/>	L56	L54 and (execution\$1 near5 query)	169
<input type="checkbox"/>	L55	L54 and (exeuct\$3 near5 query)	0
<input type="checkbox"/>	L54	L53 and row\$1	825
<input type="checkbox"/>	L53	L52 and (updat\$3 near5 table\$1)	953
<input type="checkbox"/>	L52	L51 and retriev\$3	2431
<input type="checkbox"/>	L51	L49 and (database near5 table\$1)	2689
<input type="checkbox"/>	L50	L49 and (databae near5 table\$1)	0
<input type="checkbox"/>	L49	L48 and (relational near5 database\$1)	3693
<input type="checkbox"/>	L48	L47 and (sql or query\$3)	6332
<input type="checkbox"/>	L47	L46 and (database near5 management)	9540
<input type="checkbox"/>	L46	database near5 application\$1	33226
<input type="checkbox"/>	L45	L44 and olap	1
<input type="checkbox"/>	L44	l40 and (multiple near5 queries)	17
<input type="checkbox"/>	L43	L42 and analyz\$3	9
<input type="checkbox"/>	L42	L41 and updat\$3	14
<input type="checkbox"/>	L41	L40 and (database near5 table\$1)	58
<input type="checkbox"/>	L40	(database and management and query\$).ti.	333
<input type="checkbox"/>	L39	L38 and dataset\$1	34
<input type="checkbox"/>	L38	L36 and row\$1	45
<input type="checkbox"/>	L37	L36 and (trend near5 analysis)	3
<input type="checkbox"/>	L36	L35 and updat\$3	50
<input type="checkbox"/>	L35	L34 and (multiple near5 result\$1)	72
<input type="checkbox"/>	L34	L32 and (table\$1 same execution)	196
<input type="checkbox"/>	L33	L32 and (table\$1 same exeuction)	0
<input type="checkbox"/>	L32	L31 and (query near5 analysis)	376
<input type="checkbox"/>	L31	L30 and (database near5 management)	3067
<input type="checkbox"/>	L30	(receiv\$3 near5 query)	14974
<input type="checkbox"/>	L29	L28 and (trend near5 analysis)	12
<input type="checkbox"/>	L28	L27 and query	413

<input type="checkbox"/>	L27	access database.ab.	2394
<input type="checkbox"/>	L26	L25 and (table\$1 near5 updat\$3)	9
<input type="checkbox"/>	L25	L23 and populat\$3	71
<input type="checkbox"/>	L24	L23 and l14	0
<input type="checkbox"/>	L23	(query\$3 and database\$1).ti.	1700
<input type="checkbox"/>	L22	L20 and l14	6
<input type="checkbox"/>	L21	L20 and l15	0
<input type="checkbox"/>	L20	707/2-5.ccls.	8570
<input type="checkbox"/>	L19	L18 and trend	6
<input type="checkbox"/>	L18	L17 and analysis	9
<input type="checkbox"/>	L17	L16 and updat\$3	10
<input type="checkbox"/>	L16	L15 and (database near5 table\$1)	11
<input type="checkbox"/>	L15	L14 and (access near5 software)	50
<input type="checkbox"/>	L14	sas near5 software	1135
<input type="checkbox"/>	L13	l6 and (dataset\$1 same analysis)	1
<input type="checkbox"/>	L12	(query near5 graph\$1) and l7	4
<input type="checkbox"/>	L11	L10 and populat\$3	6
<input type="checkbox"/>	L10	L9 and attribut\$1	17
<input type="checkbox"/>	L9	L8 and query\$3	46
<input type="checkbox"/>	L8	L7 and (row\$1 and column\$1)	49
<input type="checkbox"/>	L7	L6 and (user near5 interfac\$3)	112
<input type="checkbox"/>	L6	(database\$1 and table\$1).ti.	9067
<input type="checkbox"/>	L5	5894311 .uref.	24
<input type="checkbox"/>	L4	L3 and (automatic near5 query)	4
<input type="checkbox"/>	L3	L2 and (captur\$3 near5 data)	957
<input type="checkbox"/>	L2	L1 and (select\$3 near5 column\$1)	29058
<input type="checkbox"/>	L1	(select\$3 near5 row\$1)	57625

END OF SEARCH HISTORY


[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

 Terms used **trend analysis data warehouse**

Found 75,367 of 160,906

Sort results by


[Save results to a Binder](#)
[Try an Advanced Search](#)
[Try this search in The ACM Guide](#)

Display results


[Search Tips](#)
☐ Open results in a new window

Results 1 - 20 of 200

 Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

 Relevance scale ☐ ☐ ☐ ☐ ☐

1 [DBMiner: a system for data mining in relational databases and data warehouses](#)

Jiawei Han, Jenny Y. Chiang, Sonny Chee, Jianping Chen, Qing Chen, Shan Cheng, Wan Gong, Micheline Kamber, Krzysztof Koperski, Gang Liu, Yijun Lu, Nebojsa Stefanovic, Lara Winstone, Betty B. Xia, Osmar R. Zaiane, Shuhua Zhang, Hua Zhu

 November 1997 **Proceedings of the 1997 conference of the Centre for Advanced Studies on Collaborative research**

 Full text available: [pdf\(280.67 KB\)](#)

 Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

A data mining system, DBMiner, has been developed for interactive mining of multiple-level knowledge in large relational databases and data warehouses. The system implements a wide spectrum of data mining functions, including characterization, comparison, association, classification, prediction, and clustering. By incorporating several interesting data mining techniques, including OLAP and attribute-oriented induction, statistical analysis, progressive deepening for mining multiple-level knowled ...

2 [The IBM data warehouse architecture](#)

Charles Bontempo, George Zagelow

 September 1998 **Communications of the ACM**, Volume 41 Issue 9

 Full text available: [pdf\(817.29 KB\)](#)

 Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#), [review](#)

3 [Application of intelligent agent technology for managerial data analysis and mining](#)

Ranjit Bose, Vijayan Sugumaran

 January 1999 **ACM SIGMIS Database**, Volume 30 Issue 1

 Full text available: [pdf\(1.96 MB\)](#)

 Additional Information: [full citation](#), [abstract](#), [index terms](#)

Data analysis and mining technologies help bring business intelligence into organizational decision support systems (DSS). While a myriad of data analysis and mining technologies are commercially available today, organizations are seeing a growing gap between powerful storage (data warehouse) systems and the business users' ability to analyze and act effectively on the information they contain. We contend that to narrow this gap effectively, a data analysis and mining environment is needed that ...

Keywords: agent-based design, data mining, data warehouse, decision support systems, intelligent agents, multidimensional analysis, prototype implementation, statistical analysis, visualization

4 Database theory, technology and applications (DTTA): Creation and management of versions in multiversion data warehouse

Bartosz Błabel, Johann Eder, Christian Koncilia, Tadeusz Morzy, Robert Wrembel

March 2004 **Proceedings of the 2004 ACM symposium on Applied computing**

Full text available:  pdf(516.99 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

A data warehouse (DW) provides an information for analytical processing, decision making, and data mining tools. On the one hand, the structure and content of a data warehouse reflects a real world, i.e. data stored in a DW come from real production systems. On the other hand, a DW and its tools may be used for predicting trends and simulating a virtual business scenarios. This activity is often called the what-if analysis. Traditional DW systems have static structure of their schemas and relational ...

Keywords: data warehouse, integrity constraints, versioning

5 Industry track: Design of a data warehouse system for network/web services

Anoop Singhal

November 2004 **Proceedings of the thirteenth ACM conference on Information and knowledge management**

Full text available:  pdf(238.23 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

This paper describes the architecture and design of a data warehouse for AT&T Business Services. The main purpose of our system is to generate reports about the performance and reliability of the network. We describe the architecture of our system and discuss some open research problems in this area.

Keywords: computer networks, data mining, data warehouse

6 Building the data warehouse

Stephen R. Gardner

September 1998 **Communications of the ACM**, Volume 41 Issue 9

Full text available:  pdf(293.88 KB) Additional Information: [full citation](#), [citations](#), [index terms](#), [review](#)

7 An introduction to data warehousing: what are the implications for the network?

Katherine Jones

February 1998 **International Journal of Network Management**, Volume 8 Issue 1

Full text available:  pdf(145.35 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Data warehousing is an information systems environment, rather than a product. It has emerged as an essential business entity for sophisticated analysis of data. This article presents a clear overview of the implications of data warehousing for business. © 1998 John Wiley & Sons, Ltd.

8 Fast detection of communication patterns in distributed executions

Thomas Kunz, Michiel F. H. Seuren

November 1997 **Proceedings of the 1997 conference of the Centre for Advanced Studies on Collaborative research**

Full text available:  pdf(4.21 MB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Understanding distributed applications is a tedious and difficult task. Visualizations based on process-time diagrams are often used to obtain a better understanding of the execution of the application. The visualization tool we use is Poet, an event tracer developed at the University of Waterloo. However, these diagrams are often very complex and do not provide the user with the desired overview of the application. In our experience, such tools display repeated occurrences of non-trivial commun ...

9 Improving the performance of lineage tracing in data warehouse

Satyadeep Patnaik, Marshall Meier, Brian Henderson, Joe Hickman, Brajendra Panda
February 1999 **Proceedings of the 1999 ACM symposium on Applied computing**

Full text available:  pdf(680.83 KB) Additional Information: [full citation](#), [references](#), [index terms](#)

Keywords: data warehousing, lineage tracing query, performance analysis, tag

10 Business intelligence: Data warehouse design to support customer relationship management analyses

Colleen Cunningham, Il-Yeol Song, Peter P. Chen
November 2004 **Proceedings of the 7th ACM international workshop on Data warehousing and OLAP**

Full text available:  pdf(273.78 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

CRM is a strategy that integrates the concepts of Knowledge Management, Data Mining, and Data Warehousing in order to support the organization's decision-making process to retain long-term and profitable relationships with its customers. In this paper, we first present the design implications that CRM poses to data warehousing, and then propose a robust multidimensional starter model that supports CRM analyses. We then present sample CRM queries, test our starter model using those queries and ...

Keywords: customer relationship management, data warehouse

11 Project-based warehouses

James R. Sutter
September 1998 **Communications of the ACM**, Volume 41 Issue 9

Full text available:  pdf(115.07 KB) Additional Information: [full citation](#), [index terms](#), [review](#)

12 A framework for object-oriented on-line analytic processing

Jan W. Buzydlowski, Il-Yeol Song, Lewis Hassell
November 1998 **Proceedings of the 1st ACM international workshop on Data warehousing and OLAP**

Full text available:  pdf(774.11 KB) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

13 Accessing the data warehouse: designing tools to facilitate business understanding

Liam Friedland
January 1998 **interactions**, Volume 5 Issue 1

Full text available:  pdf(2.24 MB) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

14 The KDD process for extracting useful knowledge from volumes of data

Usama Fayyad, Gregory Piatetsky-Shapiro, Padhraic Smyth

November 1996 **Communications of the ACM**, Volume 39 Issue 11Full text available: [pdf\(523.49 KB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)**15** M⁴: a metamodel for data preprocessing

Anca Vaduva, Jörg-Uwe Kietz, Regina Zücker

November 2001 **Proceedings of the 4th ACM international workshop on Data warehousing and OLAP**Full text available: [pdf\(12.97 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Metadata-driven tools store control information in repositories that are outside of programs and applications. At runtime, this control information (i.e., metadata) is read, interpreted and dynamically bound into software execution. If new requirements arise, metadata may be changed without affecting the programs sharing it and without requiring re-compilation of these programs. Repositories store metadata according to a metadata structure, called a *metamodel*. *M⁴* is the ...

16 Warehousing and mining Web logs

Karuna P. Joshi, Anupam Joshi, Yelena Yesha, Raghu Krishnapuram

November 1999 **Proceedings of the 2nd international workshop on Web information and data management**Full text available: [pdf\(1.66 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Analyzing Web Logs for usage and access trends can not only provide important information to web site developers and administrators, but also help in creating adaptive web sites. While there are many existing tools that generate fixed reports from web logs, they typically do not allow ad-hoc analysis queries. Moreover, such tools cannot discover hidden patterns of access embedded in the access logs. We describe a relational OLAP (ROLAP) approach for creating a web-log warehouse. This is pop ...

Keywords: Web logs, Web mining, ad hoc analysis, clustering, user interface

17 Effective data mining: a data warehouse-backboned architecture

Khalil M. Ahmed, Nagwa M. El-Makky, Yousry Taha

November 1998 **Proceedings of the 1998 conference of the Centre for Advanced Studies on Collaborative research**Full text available: [pdf\(292.82 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

An effective Data Mining (DM) system for mining multiple-level knowledge from Data Warehouse (DW), DB and flat files of raw data is proposed. The DW represents the backbone of the proposed architecture. Intermediate, as well as final results of mining are incorporated into the DW for efficient processing of further queries. A Markov Chain mathematical model is developed for managing data dependency and consistency in the DW. An adaptive hybrid view technique is introduced ...


18 A common sense development strategy

Michael Sigal


September 1998 **Communications of the ACM**, Volume 41 Issue 9Full text available: [pdf\(125.03 KB\)](#) Additional Information: [full citation](#), [index terms](#), [review](#)

19 Intelligence systems: a sociotechnical systems perspective

James A. Sena, A. B. (Rami) Shani

April 1999 **Proceedings of the 1999 ACM SIGCPR conference on Computer personnel research**Full text available:  pdf(998.57 KB) Additional Information: [full citation](#), [references](#), [index terms](#)**Keywords:** communities of practice, data warehouses, intelligent systems, knowledge management, sociotechnical systems, transaction processing**20 Visualization: Query, analysis, and visualization of hierarchically structured data using Polaris**

Chris Stolte, Diane Tang, Pat Hanrahan

July 2002 **Proceedings of the eighth ACM SIGKDD international conference on Knowledge discovery and data mining**Full text available:  pdf(10.02 MB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

In the last several years, large OLAP databases have become common in a variety of applications such as corporate data warehouses and scientific computing. To support interactive analysis, many of these databases are augmented with hierarchical structures that provide meaningful levels of abstraction that can be leveraged by both the computer and analyst. This hierarchical structure generates many challenges and opportunities in the design of systems for the query, analysis, and visualization of ...


Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)

[Web](#)
[Images](#)
[Groups](#)
[News](#)
[Froogle](#)
[Local](#)
[more »](#)



[Advanced Search](#)
[Preferences](#)

WebResults 1 - 10 of about **596,000** for **dataset trend analysis tools**. (0.30 seconds)**[PDF] Third-Party Database Tools**File Format: PDF/Adobe Acrobat - [View as HTML](#)

Turboimage Database **Tools** – Sally Blackwell – April 2000. Products ... DBGeneral can also do some **trend analysis** of. **dataset** capacities. ...

www.hp.com/products1/evolution/e3000/download/dbtools.pdf - [Similar pages](#)

Analyzing your data

We can touch upon only a very small subset of data **analysis tools** and types of

... If you want to refer to a collection of data, you can say "this **dataset** ...

www.ideo.columbia.edu/~martins/sen_sem/plotting_manipulating.html - 13k - [Cached](#) - [Similar pages](#)

SIMS 247 Spring '02 Assignment 2

Use the **analysis tools** to look for, eg., relationships between pairs of variables

... Use the **tools** to explore around the **dataset** and look for other ...

www.sims.berkeley.edu/courses/is247/s02/assignments/assignment2.html - 11k - [Cached](#) - [Similar pages](#)

[PDF] Models of Information Security Trend AnalysisFile Format: PDF/Adobe Acrobat - [View as HTML](#)

in the **dataset**. 2.2. Temporal **trends** ... Intruder 1. Intruder 2. Analysts.

Figure 2: Flow of Information in Competing Tool-Development and **Analysis** ...

www.cert.org/archive/pdf/info-security.pdf - [Similar pages](#)

[PPT] GeostatisticalFile Format: Microsoft Powerpoint 97 - [View as HTML](#)

... in mapping a **trend**, or you may wish to remove a **trend** from the **dataset** ...

The **Trend Analysis tool** can help identify global **trends** in the input **dataset**. ...

www.ees.nmt.edu/EPSCoR/GIS_class/Lecture15-16.ppt - [Similar pages](#)

[PPT] Tier2 RetreatFile Format: Microsoft Powerpoint 97 - [View as HTML](#)

Trend analysis. Trend analysis. Trend analysis. Replicate ... (3) Submit orca/root

job(s) with **dataset(s)** for reconstruction/**analysis** ...

ultralight.caltech.edu/gaeweb/portal/presentations/2004/11SC04/SC04.ppt - [Similar pages](#)

GIS Certificate Program

Under "**Analysis Tools**" there is also a Statistics Wizard. ... The **Trend Analysis**

window presents a graphical representation of spatial patterns in ...

www.uncc.edu/dkmunroe/gis_cert/ESDA.htm - 18k - [Cached](#) - [Similar pages](#)

Global Climate at a Glance (GCAG), the main page

... **dataset** for creating time series graphs and **trend/anomaly** maps. ...

This experimental web site provides **tools** for **analyzing** global land and ocean ...

www.ncdc.noaa.gov/gcag/gcag.html - 13k - [Cached](#) - [Similar pages](#)

ArcGIS Geostatistical Analyst Exercise

The **trend analysis tool** provides a 3D plot of the samples and a regression on the

... Ordinary Kriging assumes a constant but unknown mean in the **dataset**, ...

civilu.ce.utexas.edu/stu/goodaljl/GeostatExercise/GeostatisticExercise.htm - 63k - [Cached](#) - [Similar pages](#)

Products —> SuperMap Deskpro

SuperMap Deskpro links traditional data **analysis tools**, databases and business


... From business **analysis**, demographic and distribution **analysis**, to **trend** ...

www.supermap.com/maindoc/english/products/SuperMapDeskpro.htm - 20k - [Cached](#) - [Similar pages](#)

Goooooooooogle ►

Result Page: 1 2 3 4 5 6 7 8 9 10 [Next](#)

Free! Get the Google Toolbar. [Download Now](#) - [About Toolbar](#)



dataset trend analysis tools [Search](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied?](#) [Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google